



NanoX PLOre

Performance Through Carbon Chemistry

Technical Data Sheet



GRAPHENE BLACK™ 3X

DS-GB3X-190312

GrapheneBlack™ 3X

A versatile and low-cost graphene powder available in industrial volumes.

GrapheneBlack 3X is a multifunctional carbon additive formulated for across-the-board performance improvements in thermoplastics, thermosets, inks, coatings, and rubbers. It provides a unique opportunity to enable manufacturers to reach the next level of long term performance and cost reduction with virgin and recycled resins. Performance improvements include:



Mechanical Properties



Electrical Conductivity & Shielding



Thermal Properties



Oxidation Resistance



UV Protection



Barrier Properties

Technical Data Sheet

Physical and chemical properties

Physical properties

Property	Value
Primary particle size*	1–2 μm
Agglomerate size**	D50=38 μm
Number of layers***	6 –10
Bulk density	0.18 g/cm ³
Appearance	Black fluffy powder
Odor	Odorless
Solubility	Insoluble
Moisture (TGA)	<0.7 wt%
Ash content (TGA)	< 6 wt%

* Average primary particle size measured by statistical TEM analysis.

** Loose agglomerate size measured by laser diffraction.


*** Up to 90% of flakes within this range.

Chemical composition

Element	Value
Carbon	>91 at.%
Oxygen	< 7 at.%
Sulfur	< 0.5 at.%
Metal impurities	< 2 at.%


Elemental content derived from X-Ray Photoelectron Spectroscopy (XPS) and the Energy Dispersive X-ray spectroscopy (EDS) analysis.

Agglomerate size distribution



Electron microscopy

Few-layer GrapheneBlack™ 3X flakes under TEM.



Electron micrograph (TEM) shows various few-layer thick flakes with thicknesses mainly ranging from 6 to 10 layers.

Technical Data Sheet

GrapheneBlack 3X is available in:
1 kg, 30 kg, 300 kg containers.

Contact us for larger package sizes.

25 Boul. Montpellier, Montreal, Quebec
H4N 2G3, Canada

(+1)514-935-1377

info@nanxplore.ca

Disclaimer: NanoXplore believes the information in this Technical Data Sheet is accurate and represents the best and most current information available to us. NanoXplore Inc. makes no representations or warranties either express or implied, regarding the suitability of the material for any purpose or the accuracy of the information contained within this document. Accordingly, NanoXplore Inc. will not be responsible for damages resulting from use of or reliance upon this information.