Prepared in accordance with OSHA Hazard Communication Standard 2012 (HCS)



Performance Through Carbon Chemistry

Date of the latest revision: Nov 30th, 2023

SKU Number: PW-3X-96-1x500

PW-0X-96-1x500

GrapheneBlack™

1. Identification

Product identifier used on the label: Graphene

Brand/Grades: GrapheneBlack™ 0X, GrapheneBlack™ 3X

Other means of identification:

Other means: Few-layer graphene platelets with predominant thickness of 6-10 atomic

layers and predominant lateral dimension of less than 2 micrometers

CAS No.: 1034343-98-0 **PMN Number:** P-20-0005

Recommended use of the chemical and restrictions on use:

Recommended use: Additive for thermoplastics, thermosets, and rubbers

Restrictions on use: Any use other than the recommended use

Name, address, and telephone number

of the chemical manufacturer, importer,

or other responsible party:

NanoXplore Inc.

4500 Thimens Blvd.,

Montreal, QC,

Canada, H4R 2P2

Telephone number: +1-514-935-1377

E-mail address: info@nanoxplore.ca

Emergency phone number: +1-514-935-1377 ext. 108

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard No hazard symbols

Symbols: required

GHS Classification: Combustible Dust

Signal Word: Warning

Hazard Statements: May form combustible dust concentrations in air

Prepared in accordance with OSHA Hazard Communication Standard 2012 (HCS)



Performance Through Carbon Chemistry

Date of the latest revision: Nov 30th, 2023

SKU Number: PW-3X-96-1x500

PW-0X-96-1x500

GrapheneBlack™

Other hazards: This product has a weak to moderate explosion risk

Hazards not otherwise classified: None known

% unknown toxicity (Oral):
 % of the mixture consists of ingredient(s) of unknown toxicity
 % unknown toxicity (Dermal):
 % of the mixture consists of ingredient(s) of unknown toxicity
 % unknown toxicity (Inhalation Dust):
 0 % of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS#	concentration %	
Graphene	None known	1034343-98-0	~ 100	

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. Call a

doctor/physician if you feel unwell.

Eye Contact: Flush eyes with plenty of water.

Skin Contact: Wash with soap and water for no less than 15 minutes. If skin irritation

occurs: Get medical advice/attention. Take off contaminated clothing

and wash it before reuse. Rinse mouth with water.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious

person. Rinse mouth with water. Call a POISON CENTER or

doctor/physician if you feel unwell. Provide medical care provider with

this SDS. Provide medical care provider with this SDS.

Most important symptoms/effects,

acute and delayed:

To the best of our knowledge, the substance does not cause any

immediate/acute effects/symptoms.

Indication of immediate medical attention and special treatment

needed, if necessary:

None known

Prepared in accordance with OSHA Hazard Communication Standard 2012 (HCS)



Performance Through Carbon Chemistry

Nov 30th, 2023 Date of the latest revision:

SKU Number: PW-3X-96-1x500

PW-0X-96-1x500

GrapheneBlack™

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray or alcohol resistant foam

Unsuitable extinguishing media: None known

Specific hazards arising from the

chemical:

This product has a weak to moderate explosion risk. Conductive items should be bonded and grounded (<10 Ohms to the ground). Avoid

"Propagating Brush Discharges" by restricting use of insulating liners and

coatings.

Hazardous combustion products: Carbon dioxide, Carbon monoxide

Special protective equipment and

precautions for fire-fighters:

Do not enter fire area without proper protection including self- contained

breathing apparatus (SCBA) and full protective equipment.

6. Accidental release measures

Personal precautions, protective

equipment and emergency procedures:

Methods and materials for containment and cleaning up:

Clean up spills immediately using Protective Equipment recommended in

Section 8 at a minimum.

The substance is insoluble in water and is not known to pose any significant environmental hazards. Keep it in suitable, closed containers for disposal. As a matter of good practice, minimize contamination of sewage water, soil, groundwater, drainage systems, or bodies of water.

7. Handling and storage

As with all chemicals, good industrial hygiene practices should be **Precautions for safe handling:**

> followed when handling this material. Conducting items should be bonded and grounded (<10 Ohms to ground). Avoid "Propagating Brush

Discharges" by restricting use of insulating liners and coatings.

Conditions for safe storage, including any incompatibilities:

Safe storage conditions: Keep container closed and sealed when not in use. Keep in a dry, cool,

and well-ventilated location.

Materials to Avoid/Chemical Strong oxidizing agents

Prepared in accordance with OSHA Hazard Communication Standard 2012 (HCS)



Date of the latest revision: Nov 30th, 2023 **SKU Number:** PW-3X-96-1x500

PW-0X-96-1x500

Performance Through Carbon Chemistry

GrapheneBlack™

Incom	patil	bilitv:
	P ~ * * * *	

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety:

Chemical component	OSHA PEL	OSHA PEL- STEL	NIOSH REL-TWA	NIOSH REL-STEL	ACGIH TLV	ACGIH STEL	IDLH
No data available							

Appropriate engineering controls:

Eye protection:

Use an exhaust ventilation system and/or process enclosure to minimize airborne dust. If handling results in dust generation, special ventilation may be needed to minimize dust exposure. If heated material generates vapor or fumes, use process enclosures, local exhaust ventilation, or other engineering controls to control exposure.

Individual protection measures, such as personal protective equipment:

Respiratory Protection:To minimize risk of over exposure to dust, vapor or fumes it is

recommended that a local exhaust system is placed above the equipment, and that the working area is properly ventilated. When workers are reasonably likely to be exposed by inhalation, dust controls shall be implemented that demonstrate an exposure reduction of at least 90%. Use a National Institute for Occupational Safety and Health (NIOSH) -certified respiratory with an Assigned Protection Factor (APF) of 50.

-certified respiratory with an Assigned Protection Factor (API

Wear safety glasses or goggles.

Skin protection: Wear appropriate protective clothing that provides a barrier to prevent

dermal exposure and impervious gloves to minimize skin contact.

Gloves: Wear impervious gloves. Gloves must be inspected prior to use. Use

proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves

after use in accordance with applicable laws and good laboratory

Prepared in accordance with OSHA Hazard Communication Standard 2012 (HCS)



Performance Through Carbon Chemistry

Date of the latest revision: Nov 30th, 2023

SKU Number: PW-3X-96-1x500

PW-0X-96-1x500

GrapheneBlack™

practices.

General hygiene conditions: Handle in accordance with general industrial hygiene practice.

9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Powder

Color: Black\anthracite

Odor: Odorless

Odor Threshold: No data available pH: Not determined

Melting point/freezing point:

Melting Point: approx. 4500 °C
Freezing point: No data available
Initial boiling point and boiling range: No data available
Flash Point: No data available
Evaporation Rate: No data available

Flammability (solid, gas): May form combustible dust concentrations in air

Upper/lower flammability or explosive limits:

Upper flammability or explosive

limits:

Not applicable

Lower flammability or explosive

limits:

Not applicable

Maximum Explosion Pressure-Pmax: 5.8 bar·g

Maximum Rate of Pressure Rise-dP/dt: 151 bar/s

Kst Value: 41 bar·m/s

Vapor pressure: No data available Vapor density: No data available

Relative density: 2.2 g/cm³ **Solubility(ies):** Insoluble

Prepared in accordance with OSHA Hazard Communication Standard 2012 (HCS)



Performance Through Carbon Chemistry

Nov 30th, 2023 Date of the latest revision:

SKU Number: PW-3X-96-1x500

PW-0X-96-1x500

GrapheneBlack™

Biodegradability: Not readily biodegradable

Partition coefficient: n-octanol/water: No data available No data available **Auto-ignition temperature:**

Minimum Ignition Energy-MIE: >2000 mJ **Decomposition temperature:** 600°C

Viscosity: No data available

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions

Possibility of hazardous reactions: None expected under standard conditions of storage

No data available

Conditions to avoid (e.g., static

discharge, shock, or vibration):

Incompatible materials: Strong oxidizing agents

Hazardous decomposition products: Carbon dioxide, Carbon monoxide

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin

Inhalation, Dermal, Oral

and eye contact):

Inhalation: Female/Male Rat: Well tolerated (OECD 436):

Mortality = 0

Clinical Observation = No substance-related clinical signs NOAEL (No-Observed-Adverse-Effect-Level) = 1.99 mg/L

Body Weights = No substance-related changes in body weight

Albino Rabbits: No skin irritation (Score 0 according to OECD 404):

Skin irritation: Mortality = 0

Clinical observations = No substance-related clinical signs

Prepared in accordance with OSHA Hazard Communication Standard 2012 (HCS)



Performance Through Carbon Chemistry

Date of the latest revision: Nov 30th, 2023

SKU Number: PW-3X-96-1x500

PW-0X-96-1x500

GrapheneBlack™

Erythema or Edema Observations = None

Body Weights = No substance-related changes in body weight

Assessment: Not irritating to skin

Dermal sensitization: Guinea Pigs: No dermal sensitization (Score 0 according to OECD 406):

Mortality = 0

Clinical observations = No substance-related clinical signs Body Weights = No substance-related changes in body weight

Assessment: Not sensitizing to skin

Oral: Female/Male Mouse: LD50 > 5000 mg/kg (Jiangsu provincial center for TSE, 2015)

Repeated Dose Mammalian Toxicity:

Inhalation: Rat/Sprague-Dawley: No observed effect (OECD 412 (Kim et al. ,2016)):

NOAEC (No Observed Adverse Effect Concentration): > 1.88 mg/m³

Assessment: No adverse toxicological effects at highest respirable dose

Target Organs Potentially Affected by

Exposure: None known

Chemical Interactions That Change

Toxicity:

No chemical interaction known to affect toxicity

Symptoms related to the

physical, chemical and None Identified

toxicological characteristics:

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate effects from short term

exposure:

Ingestion Toxicity: May be harmful if swallowed

Skin Contact: No skin irritation or skin sensitization was observed in animal studies

(OECD 404 and 406).

Inhalation Toxicity:No adverse effect has been observed in lung at maximum achievable

Prepared in accordance with OSHA Hazard Communication Standard 2012 (HCS)



Performance Through Carbon Chemistry

Date of the latest revision: Nov 30th, 2023 **SKU Number:** PW-3X-96-1x500

PW-0X-96-1x500

GrapheneBlack™

aerosol concentration (OECD 436).

Eye Contact: Non-eye irritant (OECD 492); UN GHS No Category

Chronic effects: None known

Mutagenicity: No evidence of genotoxic activity or chromosome damage; No

> cytotoxicity at max dose (2 mg/mL) (according to OECD 437 test for in vitro mammalian chromosome aberration test in human peripheral

blood lymphocytes).

No DNA damage at max respirable dose (according to the combined in vivo mammalian Erythrocyte micronucleus test and alkaline comet

assay, OECD 474 and 489).

Chinese Hamster, cell type V79 HPRT: Not mutagenic (OECD 476, (Envoi, In Vitro Test for Gene Mutations:

2018))

Human Peripheral Blood Lymphocytes: No evidence of genotoxic In Vitro Mammalian Test for

activity (OECD 473):

Chromosomal Aberrations: Cytotoxicity: No cytotoxicity has been observed up to 2000 µg/mL of

the substance concentration

Incidental observations: No substantial increases in the incidence of chromatid or chromosome gaps, or polyploidy /endoreduplication/

premature centromere division

Assessment: No evidence of genotoxic activity in vitro test for induction

of chromosome damage was observed.

Rats: No induction of the formation of micronuclei in polychromatic

erythrocytes in the micronucleus test or DNA damage in the lung in the

in vivo comet assay (OECD 474 and 489):

Chromosomal Aberration OR Gene Mortality = 0

In Vivo Mammalian Test for

Mutations: Clinical observations = No substance-related clinical signs

Assessment: No evidence of inducing the formation of micronuclei in

polychromatic erythrocytes or DNA damage in the lung.

Reproductive and Developmental No data available to indicate product or any components present at

Prepared in accordance with OSHA Hazard Communication Standard 2012 (HCS)



Performance Through Carbon Chemistry

Date of the latest revision: Nov 30th, 2023

SKU Number: PW-3X-96-1x500

PW-0X-96-1x500

GrapheneBlack™

Toxicity: greater than 0.1% may cause birth defects.

Teratogenicity: No data available

Carcinogenicity: Not a carcinogen according to NTP, IARC, or OSHA.

STOT-single exposure:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Synergistic Effects: No data available

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Graphene	Oral LD50 > 5000 mg/ kg	N/A- No dermal sensitization/irritation observed (OECD 406 and 404)	N/A- No mortality observed (OECD 436)

Is the hazardous chemical listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components that			
are known or reported to cause			
cancer			

12. Ecological information

Ecotoxicity (aquatic and terrestrial,

This material is not expected to be harmful.

where available):

Ecological Toxicity Data:

Chemical Name	CAS#	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish	Activated sludge (OECD 209)
Graphene	1034343-98-0	No data	EC50-96H Chlorella	LC50 (48h) Daphnia	3h NOEC = 1000 mg/L
		available	pyrenoidosa Green algae,	magna > 16 mg/L	3h EC10 > 1000 mg/L
			size 10 ⁸ cells/100 mL 62.2	[STATIC] (Fan et al.	3h EC50 > 1000 mg/L

Prepared in accordance with OSHA Hazard Communication Standard 2012 (HCS)



Performance Through Carbon Chemistry

Date of the latest revision: Nov 30th, 2023

SKU Number: PW-3X-96-1x500

PW-0X-96-1x500

GrapheneBlack™

	mg/L (Zhao et al, 2017).	2016).	

Persistence and degradability: Not soluble in water. Not readily biodegradable.

Bioaccumulative potential:No data available

Mobility in soil: Not expected to migrate. Insoluble.

Other adverse effects (such as hazardous to the ozone layer):

None known

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Dispose of by incineration or landfill. It is the responsibility of the generator to determine at the time of disposal whether the product meets the criteria of a hazardous waste per regulations of the area in which the waste is generated and/or disposed of. Waste disposal must be in accordance with appropriate Federal, provincial, and local regulations. Any predictable or purposeful release to water, or any waste stream from manufacturing, processing, and use containing this substance is strictly prohibited.

14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:

UN number:

UN Proper shipping name:

Transport hazard class(es):

Packing group, if applicable:

DOT Basic description:

No data available

No data available

International carriage of dangerous goods by sea (IMDG/IMO):

UN number:

UN Proper shipping name:

Transport hazard class(es):

No data available

Not applicable

Prepared in accordance with OSHA Hazard Communication Standard 2012 (HCS)



Performance Through Carbon Chemistry

Date of the latest revision: Nov 30th, 2023

SKU Number: PW-3X-96-1x500

PW-0X-96-1x500

GrapheneBlack™

Packing group, if applicable: Not applicable

International carriage of dangerous goods by air (IATA):

UN number:

UN Proper shipping name:

Transport hazard class(es):

Packing group, if applicable:

Not applicable

Not applicable

Environmental hazards (e.g., Marine

pollutant (Yes/No)):

No

Transport in bulk (according to Annex

II of MARPOL 73/78 and the IBC Code):

Not a marine pollutant

Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside

their premises:

Consult IMO regulations before transporting in bulk by ocean

15. Regulatory information

15.1. US Federal Regulations

This substance is subject to the significant new use rule (SNUR) notified in TSCA premanufacture notice (PMN) number P-20-0005. See 88 Fed. Reg. 13,696, 13,704 (Mar. 6, 2023) (codified at 40 C.F.R. § 721.11695)..

This chemical requires export notification under TSCA Section 12[b]. Please contact NanoXplore Inc. for additional information.

TSCA Status: The components of this product are in compliance with the chemical

notification requirements of TSCA. All components of this product are

listed on the active portion of the TSCA Inventory.

Regulated Components:

Chemical Name	CAS#	CERCLA	Sara EHS	Sara 313	U.S. HAP
No data available					

Prepared in accordance with OSHA Hazard Communication Standard 2012 (HCS)



Date of the latest revision: SKU Number:

PW-3X-96-1x500 PW-0X-96-1x500

Nov 30th, 2023

Performance Through Carbon Chemistry

GrapheneBlack™

Chemical Name	CAS#	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
No data available					

Chemical Name	CAS#	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Minnesota Hazardous Substance List
No data available					

16. Other information, including date of preparation or last revision

SDS Prepared by:

Revision Date: Nov 30th, 2023

Revision Number: 2

Reason for revision: TSCA SNUR

Disclaimer: The information contained in this Safety Data Sheet relates to the specific

material designated and may not be valid for such material used in combination with any other materials or in any process. Information contained in this Safety Data Sheet is to the best of our knowledge and believed to be reliable but no representations, guarantees or warranties of any kind are made as to its accuracy or suitability for a particular application. It is the responsibility of the user/distributor to ensure that the information contained in the Safety Data Sheet is relevant to the product manufactured or sold, as the case may be. NanoXplore Inc. makes no warranties, expressed or implied, in respect of the adequacy of this

document for any particular purpose.